

# Index

Version 3.1


# Index



# Index

# Vitka

Thin line



#### INSTALLATION

Table, Floor, Suspended

#### DIMENSION

12 x 12 mm

#### LUMINAIRE LUMINOUS FLUX


280 - 2950 lm

#### LED COLOUR

827, 830, 840

INTRA-LIGHTING.COM/#VITKA




 intra lighting



# Biba

Tiny sophistication



**DIAMETER**  
Ø 75 mm


**BEAM ANGLE**  
38°, 60°

**LUMINAIRE LUMINOUS FLUX**  
360 - 570 lm

**LED COLOUR**  
827, 830, 840, 930, 940

INTRA-LIGHTING.COM/#BIBA



 intra lighting



# Pixy

Authentically magnetic



#### INSTALLATION

Ceiling / Wall, Suspended

#### OPTIC

24°, diffused optics

#### LUMINAIRE LUMINOUS FLUX

up to 1200 lm

#### LED COLOUR

830, 840

#### DRIVER

FO, DALI

INTRA-LIGHTING.COM/#PIXY





# Zoe

Light up your creativity



**MODELS**  
Uno, Duo

**DIAMETER**  
Ø 86 - 210 mm


**LUMINAIRE LUMINOUS FLUX**  
250 - 1100 lm

**DRIVER**  
DALI, FO

**LED COLOUR**  
830, 840

INTRA-LIGHTING.COM/#ZOE



 intra lighting



# Eyen

An eye-catcher



#### DIMENSION

1498 x 706 mm,  
2437 x 1361 mm

#### LIGHT DISTRIBUTION

Direct, Direct / Indirect

#### MATERIAL


Carbon-fibre body structure

#### LUMINAIRE LUMINOUS FLUX

2133 - 9177 lm

INTRA-LIGHTING.COM/#EYEN



 intra lighting



# Dawn

Morning light



**DIAMETER**

Ø 600, 800, 1000 mm

**LUMINAIRE LUMINOUS FLUX**

1500 - 2800 lm

**LED COLOUR**

827, 830, 840

**LIGHT DISTRIBUTION**

Glare-free reflected light

INTRA-LIGHTING.COM/#DAWN



\* intra lighting



# Black Hole

Extreme phenomenon



<b>LIGHT DISTRIBUTION</b>	<b>LUMINAIRE LUMINOUS FLUX</b>	<b>INSET</b>	<b>MATERIAL</b>
Direct / Indirect	2000 + 2400 lm	Bluetooth loudspeaker	Leather / textile acoustic cover


INTRA-LIGHTING.COM/#BLACKHOLE





# Futon

See the silence



INTRA-LIGHTING.COM/#FUTON

#### INSTALLATION

Recessed, Ceiling / Wall,  
Suspended

#### DIAMETER

Ø 600, 900, 1200 mm


#### LUMINAIRE LUMINOUS FLUX

430 - 1650 lm

#### PANEL TYPE

Acoustic (class B), Mirror



 intra lighting



# Acousto

Control your sound



**INSTALLATION**  
Ceiling / Suspended

**DIMENSION**  
Ø 950, 1350 mm,  
1350 x 1350 / 3700 mm

**LUMINAIRE LUMINOUS FLUX**  
2600 - 26000 lm

**ACOUSTIC PANEL**  
Ecophon, Mosswall®

INTRA-LIGHTING.COM/#ACOUSTO



 intra lighting



# Wave Round

Life is a full circle



## INSTALLATION

Ceiling / Suspended

## DIAMETER

Ø 615 - 8000 mm


## LUMINAIRE LUMINOUS FLUX


2800 - 126000 lm

## LIGHT DISTRIBUTION

Direct, Direct / Indirect

INTRA-LIGHTING.COM/#WAVEROUND



 intra lighting



# Lona

Actual anywhere



#### INSTALLATION

Recessed, Ceiling, Suspended

#### DIAMETER

300 - 1500 mm

#### LUMINAIRE LUMINOUS FLUX

940 - 26800 lm

#### LIGHT DISTRIBUTION

Direct, Direct / Indirect

INTRA-LIGHTING.COM/#LONA



 intra lighting



# Karo

Simply square



#### INSTALLATION

Recessed, Ceiling, Suspended

#### DIAMETER

300 - 1200 mm

#### LUMINAIRE LUMINOUS FLUX

1100 - 17600 lm

#### IP PROTECTION

IP 20 - IP 43

INTRA-LIGHTING.COM/#KARO



 intra lighting



# Minus Square

Made to match



**DIMENSION**

650 - 930 mm

**LIGHT DISTRIBUTION**

Direct / Indirect

**LUMINAIRE LUMINOUS FLUX**

3670 - 8900 lm

**LED COLOUR**

827, 830, 840, RGB

INTRA-LIGHTING.COM/#MINUSSQUARE





# Pipes Tube

Pure impact



INTRA-LIGHTING.COM/#PIPESTUBE

**INSTALLATION**

Ceiling, Suspended

**DIMENSION**

H 500 - 2000 mm,  
Ø 45 - 100 mm

**BEAM ANGLE**

28°, 36°, 38°, 60°

**LUMINAIRE LUMINOUS FLUX**

580 - 5430 lm



 intra lighting



# Insider

Directly indirect



INTRA-LIGHTING.COM/#INSIDER

**DIMENSION**

208 - 2542 mm

**LUMINAIRE LUMINOUS FLUX**

1800 - 2550 lm/m


**LIGHT DISTRIBUTION**

Indirect

**COLOUR OPTIONS**

Dual colour




 intra lighting



# Edge

Light graphics



## INSTALLATION

Linear, Corner

## DIMENSION

12,5 x 28 mm


## LENGTH

500 - 2050 mm

## LUMINAIRE LUMINOUS FLUX

700, 1250 lm/m

INTRA-LIGHTING.COM/#EDGE



 intra lighting



# Cove

All light



INTRA-LIGHTING.COM/#COVE

**INSTALLATION**

Linear, Corner, Furniture

**HEIGHT**

12,5, 25 mm

**LENGTH**

400 - 2500 mm

**LUMINAIRE LUMINOUS FLUX**

580 - 1300 lm/m



 intra lighting



# Line Led

Behind the scenes



**INSTALLATION**

Recessed, Ceiling, Furniture

**LED TYPE**

PCB, LED stripes

**LENGTH:**

500 - 2500 mm

**LUMINAIRE LUMINOUS FLUX**

800 - 2700 lm/m

INTRA-LIGHTING.COM/#LINELED





# Night & Day

Changes by turning



**LENGTH**

1700, 2260 mm

**LUMINAIRE LUMINOUS FLUX**

3480 - 8200 lm

**LIGHT DISTRIBUTION**

Direct / Indirect

**ROTATION**

±175°

INTRA-LIGHTING.COM/#NIGHTANDDAY





# Mocca

Be bold or italic. Never regular.



INTRA-LIGHTING.COM/#MOCCA

**GLARE CONTROL**  
UGR<19

**LENGTH**  
1700, 2000 mm

**LUMINAIRE LUMINOUS FLUX**  
5000 - 7340 lm

**LIGHT DISTRIBUTION**  
Direct / Indirect



 intra lighting



# Camay

Timeless elegance



#### INSTALLATION

Suspended, Wall

#### LENGTH

885 - 1795 mm

#### LUMINAIRE LUMINOUS FLUX

1650 - 6200 lm

#### LIGHT DISTRIBUTION

Direct, Direct / Indirect

INTRA-LIGHTING.COM/#CAMAY



 intra lighting



# Glazer

Table friendly



INTRA-LIGHTING.COM/#GLAZER

**INSTALLATION**

Suspended, Wall

**LENGTH**

1150 - 2830 mm


**LUMINAIRE LUMINOUS FLUX**

2900 - 12700 lm

**LIGHT DISTRIBUTION**

Direct / Indirect



 intra lighting



# Minus

Make rhythm, break rhythm



**INSTALLATION**

Recessed, Ceiling, Suspended

**LENGTH**

565 - 3082 mm

**LUMINAIRE LUMINOUS FLUX**

559 - 8438 lm

**LIGHT DISTRIBUTION**

Direct / Indirect

INTRA-LIGHTING.COM/#MINUS



\* intra lighting



# Kalis

Absolutely universal



#### INSTALLATION

Recessed, Ceiling /  
Suspended, Wall

#### MODULE LENGTH

560 - 3100 mm

#### MODULE TYPE

Single, Linear, Corner

#### LUMINAIRE LUMINOUS FLUX

780 - 16050 lm

INTRA-LIGHTING.COM/#KALIS



 intra lighting



# Random

Not random at all



**MODULE LENGTH**

844 mm - 2807 mm

**MODULE FLEXIBILITY**

Multiple joint positions

**LUMINAIRE LUMINOUS FLUX**

1000 - 1450 lm/m

**LIGHT DISTRIBUTION**

Direct, Direct / Indirect


INTRA-LIGHTING.COM/#RANDOM





# Hexagon

Don't be a square



#### LIGHT COMPOSITIONS

Single or Mesh

#### MODULE LENGTH

844 and 1750 mm


#### LUMINAIRE LUMINOUS FLUX


1000 - 1450 lm/m

#### LIGHT DISTRIBUTION

Direct, Direct / Indirect

INTRA-LIGHTING.COM/#HEXAGON



 intra lighting



# Lynar

It's your move



INTRA-LIGHTING.COM/#LYNAR

#### INSTALLATION

Recessed, Ceiling /  
Suspended (S / SDI)

#### ELECTRICAL CONNECTION

Track system, 48V


#### MODULE LENGTH

600 - 2400 mm

#### INSETS

Atos, Biba, Rylo, Kalis



 intra lighting



# Gyon

More is more



#### INSTALLATION

Recessed, Ceiling /  
Suspended (S, SDI)

#### MODULE LENGTH

560 - 3120 mm

#### MODULE TYPE


Single, Linear, Corner

#### LUMINAIRE LUMINOUS FLUX

1850 - 5500 lm/m

INTRA-LIGHTING.COM/#GYON



 intra lighting



# Wave

Bored of being straight



INTRA-LIGHTING.COM/#WAVE

## INSTALLATION

Ceiling / Suspended (S, SDI)

## RADIUS


525 - 4000 mm

## MODULE TYPE

Left / Right 45° and 90°

## LUMINAIRE LUMINOUS FLUX

1850 - 5500 lm/m




 intra lighting



# Tracker

Goes with the flow



**MODULES**

Linear, Curved (45° and 90°),  
Up and down (radius ± 500 mm)

**MODULE LENGTH**

950 - 4750 mm

**SIZE (HxW)**


27 x 56 mm

**LUMINAIRE LUMINOUS FLUX**

1950 and 2800 lm/m

INTRA-LIGHTING.COM/#TRACKER



 intra lighting



# Sequal

Specialized in optics



#### INSTALLATION

Ceiling / Suspended

#### OPTIC TYPE

30°, 60°, 90°, 110°,  
Double asymmetric,  
Asymmetric,

#### IP PROTECTION

IP40, IP54, IP65

#### LUMINAIRE LUMINOUS FLUX

5055 - 29395 lm

INTRA-LIGHTING.COM/#SEQUAL



 intra lighting



# Sword

Power comes with size



INTRA-LIGHTING.COM/#SWORD

#### INSTALLATION

Recessed, Ceiling /  
Suspended (S, SDI)

#### MODULE TYPE


Single, Line, Blind corner


#### MODULE LENGTH

576 - 3104 mm

#### LUMINAIRE LUMINOUS FLUX

2300 - 4200 lm/m



 intra lighting



# Cut

Hides everything



## ELECTRICAL CONNECTION

Trim-less recessed channel, 230V

## INSETS

Linear and spots, Brackets for fire alarm, camera, sprinkler

## CEILING TYPE

Compatible with various ceiling heights

INTRA-LIGHTING.COM/#CUT



\* intra lighting



# Flea

Sparkling lights



INTRA-LIGHTING.COM/#FLEA


**DIAMETER**  
39 - 50mm

**BEAM ANGLE**  
15°, 15-45°, 30°, 95°

**LUMINAIRE LUMINOUS FLUX**  
85 - 230 lm

**IP PROTECTION**  
IP20, IP 44



 intra lighting



# Atos

Sparkling lights



**DIAMETER**  
Ø 42 mm


**BEAM ANGLE**  
30°, 38°, 60°

**LUMINAIRE LUMINOUS FLUX**  
291 lm - 588 lm

**IP PROTECTION**  
IP20, IP 44

INTRA-LIGHTING.COM/#ATOS



 intra lighting



# Fyo

Sparkling lights



INTRA-LIGHTING.COM/#FYO

**INSTALLATION**

Recessed, Ceiling

**DIAMETER**

Ø 26 mm

**BEAM ANGLE**

15°, 15-45°, 30°

**ORIENTATION**

±37,5°

**LUMINAIRE LUMINOUS FLUX**

165 - 216 lm





# Deux pieces

Small is the new big



**INSTALLATION**

Recessed, Track

**BEAM ANGLE**

38°, 60°

**DIMENSION**

40x134 / 331 mm

**LUMINAIRE LUMINOUS FLUX**

1422 lm - 3008 lm

INTRA-LIGHTING.COM/#DEUXPIECES





# Pipes R

Totally responsive



INTRA-LIGHTING.COM/#PIPESR

DIAMETER	BEAM ANGLE	LUMINAIRE LUMINOUS FLUX	LED COLOUR
60 - 140 mm	15° - 62°	262 - 6241 lm	827, 830, 840, 930, 940, Vivid COB





# Eye

Good looking all around



DESIGN **PLUS**  
powered by **light building**

INTRA-LIGHTING.COM/#EYE

**INSTALLATION**

Ceiling / Wall, Track

**DIAMETER**

60 mm


**BEAM ANGLE**

12° - 50°

**LUMINAIRE LUMINOUS FLUX**

Up to 2300 lm




 intra lighting



# Pipes

Simple outside, clever inside



INTRA-LIGHTING.COM/#PIPES

**INSTALLATION**

Recessed, Ceiling,  
Track, Suspended

**DIAMETER**

Ø 45, 100,  
133 mm

**BEAM ANGLE**

10° - 62°

**LUMINAIRE LUMINOUS FLUX**

460 - 6000 lm

**LED COLOUR**

827, 830, 840, 930,  
940, Vivid COB





# Hunter

Call to action



INTRA-LIGHTING.COM/#HUNTER

**INSTALLATION**

Recessed, Ceiling,  
Track, Suspended

**DIAMETER**

Ø 133 mm

**BEAM ANGLE**

10°, 21°, 46°

**LUMINAIRE LUMINOUS FLUX**

815 - 7793 lm

**LED COLOUR**

827, 830, 840, 930,  
940, Vivid COB



 intra lighting



# Cub

Hide and seek



**SIZE**

100 x 100 mm

**BEAM ANGLE**

38°, 60°

**LUMINAIRE LUMINOUS FLUX**


650 lm

**LED COLOUR**

827, 830, 840, 930, 940

INTRA-LIGHTING.COM/#CUB



 intra lighting



# Nola

Position yourself



**INSTALLATION**

Recessed, Ceiling

**DIAMETER**

Ø 110 - 120 mm

**LUMINAIRE LUMINOUS FLUX**

731 - 1426 lm

**LED COLOUR**

830, 840

INTRA-LIGHTING.COM/#NOLA




 intra lighting



# Flott

Not a typical downlight



INTRA-LIGHTING.COM/#FLOTT

#### DIAMETER

Ø 240, 324 mm

#### OPTICS

15°, 18°, 28°, 30°, 56°


#### LED COLOUR

830, 840, 930, 940

#### LUMINAIRE LUMINOUS FLUX

879 - 3308 lm



 intra lighting



# Nitor

Simply efficient



**DIAMETER**  
Ø 240 mm


**OPTIC**  
10°, 15°, 30°, 56°,  
AS, DPR, SOP

**LUMINAIRE LUMINOUS FLUX**  
968 - 5043 lm

**IP PROTECTION**  
IP20, IP44

INTRA-LIGHTING.COM/##NITOR



 intra lighting



# Narro

Not round at all



INTRA-LIGHTING.COM/#NARRO

**DIAMETER**

240 x 240 mm

**OPTIC**


15°, 30°, 56°, DPR, SOP

**LUMINAIRE LUMINOUS FLUX**

953 - 4113 lm

**IP PROTECTION**

IP20, IP40





# Nucleo

It's a one-piece thing



INTRA-LIGHTING.COM/#NUCLEO

#### INSTALLATION

Ceiling

#### DIMENSION


Ø 252 x 200 mm

#### OPTIC

30°, Diffused

#### LUMINAIRE LUMINOUS FLUX

854 - 4042 lm



 intra lighting



# Etea

Basic advanced



INTRA-LIGHTING.COM/#ETEA


INSTALLATION	DIAMETER	LUMINAIRE LUMINOUS FLUX	IP PROTECTION
Ceiling / Wall	Ø 285 mm	1354 - 1558 lm	IP 43, IP 65





# Skyler

The sky is the limit



INTRA-LIGHTING.COM/#SKYLER

UGR	LIGHT DISTRIBUTION	DIMENSION (HxWxL)	LUMINAIRE LUMINOUS FLUX
UGR<19	Direct / Indirect, Additional Indirect (TW or RGB)	20 x 367 x 1500 / 3000 mm	5769 - 6604 lm





# Tol

Mobile and personal




INTRA-LIGHTING.COM/#TOL


**LIGHT DISTRIBUTION**  
Direct / Indirect

**GLARE CONTROL**  
UGR<19

**PLUG-INS**  
Power and Network plug-in

**LUMINAIRE LUMINOUS FLUX**  
3312 - 5508 lm



 intra lighting



# Taro

Office comfort



#### INSTALLATION

Ceiling, Suspended (SDI),  
Floor

#### GLARE CONTROL

UGR<19


#### OPTICS

DPR, MPR, SOP

#### LUMINAIRE LUMINOUS FLUX

1544 - 12790 lm

INTRA-LIGHTING.COM/#TARO



 intra lighting



# Miva

All elementary



#### INSTALLATION

Ceiling / Suspended

#### GLARE CONTROL

UGR<19

#### OPTICS

HMP, Asymmetric

#### LUMINAIRE LUMINOUS FLUX

1803 - 7439 lm

INTRA-LIGHTING.COM/#MIVA




 intra lighting



# Vyko

Ec(h)o friendly



#### PRODUCT CONCEPT

Light + Acoustic + Ceiling

#### GLARE CONTROL

UGR<19


#### DIMENSION

600x600 mm

#### ACOUSTIC ABSORPTION

Class B

INTRA-LIGHTING.COM/#VYKO



 intra lighting



# Ergetic

All in one



#### DIMENSION

600x600 and 625x625 mm

#### LIGHT SCENARIOS

Direct / RGB, TW

#### OPTICS

18°, 28°

#### LUMINAIRE LUMINOUS FLUX

4000 - 7300 lm

INTRA-LIGHTING.COM/#ERGETIC



 intra lighting



# Canvas

Out of the box



**INSTALLATION**

Recessed, Ceiling,  
Suspended

**GLARE CONTROL**

UGR<19

**DIMENSION**

350x350, 600x600,  
350x1100 mm

**LED COLOUR**


830, 840, TW

**LUMINAIRE LUMINOUS FLUX**

884 - 5722 lm

INTRA-LIGHTING.COM/#CANVAS



 intra lighting



# Demi

Office reviver



**INSTALLATION**

Recessed, Ceiling,  
Suspended

**GLARE CONTROL**

Up to UGR<16

**OPTICS**

DPR, HMP, SOP

**LED COLOUR**

830, 840, TW

**LUMINAIRE LUMINOUS FLUX**

1902 - 6491 lm

INTRA-LIGHTING.COM/#DEMI



 intra lighting



# 106, 216

Basic light box



INTRA-LIGHTING.COM/#106AND216

## INSTALLATION

Recessed, Ceiling

## GLARE CONTROL

UGR<19

## OPTICS

OP, DPR, PR

## LED COLOUR

830, 840

## LUMINAIRE LUMINOUS FLUX

1857 lm - 5335 lm





# Alkon

Clean room choice



**INSTALLATION**  
Recessed

**GLARE CONTROL**  
UGR<19


**OPTICS**  
DPR, HMP, PR

**IP PROTECTION**  
IP 65

**LUMINAIRE LUMINOUS FLUX**  
2936 lm - 6011 lm

INTRA-LIGHTING.COM/#ALKON



 intra lighting




# Medis

Care 24 / 7



MODELS	LENGTH	MODULES	LUMINAIRE LUMINOUS FLUX
Senior, Care	1800 mm	Power supply, USB charger, Equipotential bonding bolts, Medical gases, Communication network, Light control	2650 - 4200 lm

INTRA-LIGHTING.COM/#MEDIS





# Sequal

Specialized in optics



#### INSTALLATION

Ceiling / Suspended

#### OPTIC TYPE

30°, 60°, 90°, 110°,  
Double asymmetric,  
Asymmetric,

#### IP PROTECTION

IP40, IP54, IP65

#### LUMINAIRE LUMINOUS FLUX

5055 - 29395 lm

INTRA-LIGHTING.COM/#SEQUAL



 intra lighting



# Arago

Born to be efficient



#### INSTALLATION

Ceiling / Suspended

#### OPTIC TYPE

Narrow, Wide,  
Wide UGR<19

#### IP & IK PROTECTION

IP20, IP65 | IK10

#### LUMINAIRE LUMINOUS FLUX

6786 lm - 24826 lm

INTRA-LIGHTING.COM/#ARAGO



 intra lighting



# 5700

The old-school solution




**INSTALLATION:**  
Ceiling / Suspended


**LUMINAIRE LUMINOUS FLUX:**  
2973 lm - 7178 lm

**AMBIENT TEMPERATURE:**  
Up to - 40°C

**IP PROTECTION**  
IP 66

INTRA-LIGHTING.COM/#5700



 intra lighting



# Haron

Imagine. Create. Repeat.



## MODELS

Triangle, Square, Linear

## LUMINAIRE LUMINOUS FLUX

1600 - 17600 lm

## LED COLOUR


830, 840, RGBW

## IP PROTECTION

IP 66

INTRA-LIGHTING.COM/#HARON



 Intra lighting





# Vitka


Thin line


















# A tribute to minimalism.

They say it's a thin line between elegance and confidence, but we say that there doesn't need to be any line at all, you can have this all together. Thanks to its application flexibility and lighting control, Vitka is one of our top notch ambient luminaires. Vitka doesn't need to hang out next to thick luminaires just to look thin. It is thin!

Discover the variety of Vitka's applications when you're creating an office, reception area, hospitality facilities or at home, and prepare for a big surprise from such a small luminaire. And that's the thin line everybody talks about.

## DESIGN:

Janez Mesaric, Mashoni





# Product range

---

## LUMINAIRE LUMINOUS FLUX

280 - 2950 lm

## DIMENSION


12x12 mm

## LED COLOUR


827, 830, 840

## DRIVER

FO, DALI, TD




S




SQ



T



F



FQ



# Soft ambient light

Sometimes all you need is a light effect. A soft light that creates a beautiful, calm atmosphere. For such occasions Vitka is perfect.





# Your best work companion


Put it on your desk. Especially in offices with general lighting sometimes you need a little of intimacy and a different atmosphere. Or when you work late at night and all the lights are turned off, switch Vitka on. It will be your best companion and motivator.





# A big surprise for such a thin luminaire


Each and every single detail is the result of an accurate functional and aesthetic study, reflecting a refined look for optimal performance. The physical elements of Vitka luminaire collection have been designed to have a strong graphic impression even when the light is not in function.





# Gesture control


Control your dim system with gestures for adapting the light level to the visual task. Holding finger at the sensor dims the luminous flux between the maximum and minimum level.





# Creativity of application


The weight – a solid metal rectangular object is the sole element of stability. As the weight is not fixed in any way, it can be flipped and moved across the bottom line surface.





# Creativity of application

The weight – a solid metal rectangular object is the sole element of stability. As the weight is not fixed in any way, it can be flipped and moved across the bottom line surface.





# Removable weight

The stability weight can also be removed, allowing a more dynamic placement. When leaning against the wall it creates a more dramatic lighting atmosphere while free-standing positioning provides a more even distribution of light across the room.



**Soft and pleasant ambient light**



**Dramatic lighting effect**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

89%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO

**Certified productions**

**\* intra lighting**





Thin,  
elegant  
and slim



Soft  
ambiental  
light







# Biba


Tiny sophistication



reddot design award  
winner



BY CHICAGO ATHENAEUM



BIGSEE  
PRODUCT DESIGN  
AWARD WINNER

























# Everybody loves Biba.

Biba is little, but like all little things it can make a big difference. Individual or in a matching composition, sophistication is the look you are getting. Combine shapes and colours in an endless fusion of possibilities if you're planning a restaurant, a hotel lobby, a bar, a retail or even your home dining room, bedroom or bathroom and let it suit your taste. Get to know it, hold it and you will love it, too.

**DESIGN:**

Wilsonic design





# 3 family members

---

## LUMINAIRE LUMINOUS FLUX

360 - 570 lm

## BEAM ANGLE

38°, 60°

## LED COLOUR

827, 830, 840, 930, 940

## DRIVER

DALI, FO, Remote

117



Ø75

**Biba Drop**



Ø78

**Biba Slim**




Ø79

**Biba Edgy**



# Finest materials

Biba is made of one piece aluminum. It's heavy weight provides straight tension of the cable and works as a cooling system.





# Ageless shapes

Clean lines and carefully chosen shapes  
will flatter your space.





# Carefully designed

Seamless transition between  
the power cable and the luminaire.





# Create your pattern

Combining shapes and colors in an endless fusion of possibilities will lead you from simple and sophisticated, to a luminaire that lets your ideas fly.





# Cluster installation

Choose a cluster ceiling cup when you want to create a group of Bibas closely together.





# Cluster with suspenders

A cluster ceiling cup combined with suspenders allow you to create a creative dynamic compositions.





# Cluster with suspenders


A cluster ceiling cup combined with suspenders allow you to create a creative dynamic compositions.





# Exciting colours

Biba is so beautiful in all available colours that everybody has the same problem: which one to choose. Some prefer it black or white to blend it in discretely. If you want to have an eye-catching element in the space, then dare to choose the more intensive ones.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

95%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





**Bronze and Gold coated**

Ageless  
shapes



Carefully  
designed




# Zoe

Light up your creativity



BY CHICAGO ATHENAEUM




**BIGSEE**  
**PRODUCT DESIGN**  
**AWARD WINNER**



















# Creative. Unique. Yours.

Be creative. Mix and match your favourite combination of five different shapes and trendy colour range to create something unique, only yours. Finest materials, green technologies and sophisticated production reflect in top-notch design.

Whether you are planning a home, a restaurant, a hotel or a store, Zoe finds its place in minimalistic, Scandinavian and urban interiors and turns it into something truly beautiful.

**DESIGN:**

Janez Mesaric, Mashoni





# Product range

---

**LUMINAIRE LUMINOUS FLUX**  
249 - 1103 lm

**LED COLOUR**  
827, 930, 940

**DRIVER**  
DALI, FO, Remote





# Product range

---

## LUMINAIRE LUMINOUS FLUX

249 - 1103 lm

## DIAMETER


86 mm - 210 mm

## LED COLOUR

827, 930, 940

## DRIVER


DALI, FO, Remote





# Five ageless shapes

The designer chose to play with the most basic geometric figures: a cone, a half-sphere, and a cylinder, which are all rounded and harmonizingly sized. All the five shapes are carefully designed to fit perfectly with each other, whichever two shapes one chooses to combine.





# Play with shapes and colours

Zoe comes in both single and double module and is a mix and match concept luminaire, not only by shape, but also by colour. It can either stand out by bold combinations or blend in as an adaptable chameleon. Use your imagination and creativity and make combinations that create a playful vibe in the space.





# Internal funnel colour

Match or enhance your interior design with an internal funnel of a different colour. By default, it comes in the same colour as the bottom part of the luminaire. While you can also choose between the white or gold colour finish.





# Carefully designed

Zoe boasts seamless joints either between two shapes but also between the power cable and the luminaire itself.





# Finest materials

Zoe is made from the finest, recyclable materials. The body is aluminum, coated with fine matte finish colour which doesn't chip off. While the elegant, soft touch PVC power cable becomes a decorative element as well, seamlessly flowing into the luminaire. The light source is a high-quality LED COB with many possibilities of colour temperatures.





# Colour personalization

Zoe can either stand out by bold combinations or blend in as an adaptable chameleon. It is a mix and match concept luminaire, not only by colour, but also by shape. While it moreover comes in both single and double module. Choose between various colours and make combinations that create a playful vibe in the space.

Other colour options are available on request, but minimum required quantity must be met.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





Basic  
geometric  
figures



Carefully  
designed







reddot design award  
winner



GOOD  
DESIGN  
AWARD  
TOKYO



BY CHICAGO ATHENAEUM

# Dawn

Morning light















# Soft magic of a morning light

Unlike other luminaires which have their light source in the middle of the luminaire, Dawn hides it under the edge and only reveals the soft uniform light, comparable to the morning dawn. Dawn boasts with elegant details such as the frame, which is done from a single piece, delicate edge design and 100% clean interior, which means there are no screws and suspensions visible in the interior of the luminaire.

It's a luminaire that definitely gives attention to details by turning a power cable to an eye-catching feature and it's simply a perfect example of how to transform a typical decorative product in a unique lighting experience.

## **DESIGN:**

Lorenzo Truant





# Product range

---

## DIMENSION

600, 800, 1000 mm

## LIGHT OUTPUT

1500 - 2800 lm

## LED COLOUR

827, 830, 840

## DRIVER

DALI, FO, Remote





## Made from a single piece


One of the most important features of its design is also the fact that Dawn's body is made out of a single piece of material which gives it a sophisticated finishing touch.





# 100% clean interior

As the light source is completely hidden under the edge, the interior of the luminaire is 100 % clean, with absolutely no screws or suspensions.






# Diffused light without a diffuser

Dawn has no diffuser. But anyway reveals the soft uniform diffused and reflected light.

It also gets as close to the natural spectrum of light as possible creating a beautiful diffused light with no hard shadows and contrasts.





# Attention to every detail

Dawn has the ability to turn common features as suspension cable and power connection to something truly aesthetic. This luminaire has only one suspension point and power cable thoughtfully placed in the product. Moreover, it boasts with elegant details such as the special production of the frame due to its delicate edge design and 100% clean interior, which means there are no screws and suspensions in the interior of the luminaire.



WH



WHM



WHG



BK



BKM



BKG





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

96%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**



---

ISO

**Certified productions**

**\* intra lighting**





Diffused  
light without  
diffuser

100%  
clean  
interior







# Futon

Night's silence
















# Say goodbye to noise.

It's a lifesaver for all those projects where you want to combine unique ambient lighting, functionality of acoustics and trendy colours. Alone or in a creative composition, Futon gives its best when improving speech audibility, and creates an appealing ambience thanks to the light source that illuminates the acoustic fabric.

**DESIGN:**

Lorenzo Truant





# Family members

---

## DIAMETER

611 mm, 900 mm, 1216 mm

## LIGHT OUTPUT

431 lm - 1641 lm

## LED COLOUR

827, 830, 840

## PANEL TYPE

Acoustic or mirror



**Futon C/W**



**Futon RV**



**Futon S**




**Futon W Mirror**



# Thin performer


Futon is one of the favourite picks for interior designers. Think about it when you're building a designer restaurant, a hotel or a common space at the university.





# Rich in light effect

The hidden light source illuminates sound absorbing acoustic panel from the inner edge. Subsiding evenly, it creates a rich glow effect on the fabric and diffuse the light in the space.







# Maximum acoustic comfort

Futon enables effective soundproofing and sound absorbing in all areas with higher frequencies.

Acoustic absorption: Class B





# Pick your colour. Match your style.

It's a matter of colour. And the colour is a matter of choice. Both, the high-quality aluminium frame and the textile of the acoustic panel are available in various trendy colours. Choose the one that fits best to your interior. And keep in mind that the light effect of Futon is strongly connected with the colour of its textile panel.

## Aluminium body colour



WH



BK



AT



CB



DW

## Acoustic panel textile colours



Sand




Grey



Orange




Green





# Perfect mirror illumination

Round wall mirror, integrated into the luminaire, elevates the look of your entryway or bathroom. The evenly distributed diffused light eliminates face shadows and gives you a perfect combination of functionality and good design.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

90%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**


**\* intra lighting**






Slim, but  
rich in light  
effect

Eco and  
echo friendly







# **Acousto**

Acoustic under control











# Keeps the noise down

In an open workspace there is nothing more annoying than noises you don't want to hear. But here comes Acousto, a luminaire that features acoustic panels providing excellent absorption of sounds, making your area not only quieter but also more intimate.

Think about Acousto when creating large open spaces with a majority of hard surfaces and an echo. Especially if you seek a different and green solution. The natural MOSSwall panels absorb the noise but also bring nature indoors and are maintenance free. How cool is that?





# Product range

---

## LUMINAIRE LUMINOUS FLUX

2600 - 26000 lm

## OPTICS

SOP, DPR

## DIMENSION


Ø 950, 1350 mm,  
1350 x 1350 / 3700 mm

## ACOUSTIC PANEL


Ecophon, Mosswall®



**Round MOSSwall®  
C/S, SDI**




**Square MOSSwall®  
C/S, SDI**




**Rectangular MOSSwall®  
C/S, SDI**



**Round Ecophon  
C/S, SDI**



**Square Ecophon  
C/S, SDI**




**Rectangular Ecophon  
C/S, SDI**



# A glimpse of nature

Create a well-being atmosphere by using MOSSwall pannels that don't only absorb the noise but also bring the nature inside and are maintainance free. How cool is that?





# 100 % natural moss

Dried moss absorbs air humidity and is therefore, maintenance free. It has excellent sound absorbing properties, it minimizes echoes and noise and improves working environment.



Moss wasabi



Moss mint



Moss natural

It requires a relative humidity of 40-50% and does not appreciate direct sunlight.



**100% Natural**



**Anti - static**



**Non - flammable**

Certificate  
UNI EN 13501-1:2009



**Sound absorbing**

Certificate  
UNI EN ISO 354:2003  
- 11654:1998



# Create your acoustic cloud



Think about Accusto when creating large and open spaces with a majority of hard surfaces and an echo, or when you simply seek for a different, efficient and green solution to effectively combat office noise.





# Work under maximum comfort

Acousto features A-class sound absorption. Measurements show that Mosswall® absorbs lower frequencies better, while Ecophon™ has better performance with speech frequencies.







# Office case study

In open workspaces, both light and acoustic have a vital role if you want the employees to feel good and work well. With one Acousto Rectangular you can cover up to 4 workspaces.

1x Acousto Rectangular SDI

UGR<19


E>580 lux





# Be creative in compositions


Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up. Acousto is with its universal form both decorative and at the same time fulfills sound absorption requirements.





# Perfect joints, no light gaps



With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps


With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Wide colour range

Choose from wide selection of frame colours.  
Additional colours are available on request.





# Choose the right diffuser

Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic diffuser (DPR) for task illumination.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO



**Certified productions**

**\* intra lighting**






Light and  
acoustic  
comfort



Bring the  
nature inside






# **Wave Round**

Life is a full circle

























# If you're not into circles, move on.

Challenge your creativity by designing figures of repetition or an original combination of different shapes and sizes. It's an object that seeks attention without taking control over your space.

'Wave Round' may look all glitz and glam, but it also boasts with increased efficiency and reduced glare and is as such appropriate for your reception, building entrance or a shopping centre.





# Product range

---

## INSTALLATION:

Ceiling / Suspended

## DIAMETER:

Ø 615 - 8000 mm

## LUMINAIRE LUMINOUS FLUX

2800 - 126000 lm

## LIGHT DISTRIBUTION:

Direct, Direct / Indirect



**C/S**



**SDI**



# Round will never go out of style





Its circle shape catches the attention as a graphic element in the space, especially when grouped in various ways.





# Be creative in compositions

Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up. Wave Round is a perfect match to Wave, Tracker, Lona or Acousto.






# Different spaces different sizes.

Wave Round is available in different sizes.


Those with smaller diameters are made from one piece, while the bigger ones are composed of multiple parts and can therefore easily embrace pillars or staircases.





# Perfect joints, no light gaps



With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps


With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Wide colour range

Choose from wide selection of frame colours.  
Additional colours are available on request.





# Choose the right diffuser


Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic diffuser (DPR) for task illumination.





# Circulating diffusers

Circling diffusers with no gaps allow  
easy and fast service without taking them out.






# Personalize your experience

Direct and indirect illumination for various lighting scenarios. Separate switching enables flexible illumination, as a direct and indirect component can be switched (FO) or dimmed separately (TD version).

The suspension holder for S and SDI versions in transparent polycarbonate in order to prevent light shadows on the ceiling.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO


**Certified productions**

**\* intra lighting**





Great in  
composition



Simple and  
Smart





# Lona

Actual anywhere
























# Round will never go out of style

Lona is a simple product, yet it can shape originality by creative use in a space. As it comes in different sizes and mounting possibilities, there are so many ways to combine the Lonas together.

Its ability to blend in and stand out makes it easy to match with any interior. Especially in unlimited spaces, Lona will add a focal point, without losing the feeling of spaciousness.





# Product range

---

## LUMINAIRE LUMINOUS FLUX:

940 - 26800 lm

## INSTALLATION:


Recessed, Ceiling, Suspended

## DIAMETER:


300 - 1500 mm

## LIGHT DISTRIBUTION:

Direct, Direct / Indirect



**RI**



**RV**



**C/S**



**CDI**



**SDI**



# Different spaces different sizes.

The size of the luminaire often depends on the size of the ceiling. You can have one big Lona in the middle of it or more smaller ones.

## DIAMETER:

300 - 1500 mm








# Be creative in compositions

Put them in a row and create a straight or a zig-zag line. Combine different sizes and arrange them randomly.

This is the way we prefer it. Be creative, Lona is really inspiring.





# Wide range of colours

Choose from wide selection of frame colours.  
Additional colours are available on request.





# Choose the right diffuser

Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic diffuser (DPR) for task illumination.






# Indirect light effect

Improve your experience with combination of direct and indirect illumination.

When turned on, Lona CDI creates a glowing ring, creating a decorative indirect accent on the ceiling.

Lona SDI provides illumination with minimum shadows and high visual perception.





# Discrete or uniform

The classical recessed visible version is always a good choice when you want your ceiling to look clean and white when the light is off. When turned on, Lona gives a uniform lighting all over the space.





# Blends in perfectly

Trimless installation where the diffuser is  
regressed into the ceiling brings out the light in a  
soft way, creating a pleasant feeling, that doesn't  
get out of style.



**LONA RI**  
**400 mm**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





Creative use  
in space



Blend in or  
stand out







# Insider

Directly indirect




# It gives character to empty walls.

Bring light to your wall, raise your ceiling and create the feeling of spaciousness and freedom with Insider in different dimensions and colours. Because of its delicate design, it can be easily incorporated into any interior.

Its indirect light effect makes your ceiling higher and higher. And what is more, it creates an atmosphere that will raise you up.

## DESIGN:

Serge Cornelissen





# Family range

---

## LUMINAIRE LUMINOUS FLUX:

1800 - 2550 lm/m

## LIGHT DISTRIBUTION:


Indirect

## COLOUR OPTIONS:

Dual colour

## INSTALLATION:


Wall





# Create a composition

Insider is available in different dimensions.  
Choose the one that fits best your wall.  
Or combine more of them together and  
create attractive compositions.





# Dual color


When we say dual we really mean two colours, not only black and white. So, choose two different colours that perfectly match your interior and give character to your wall.





# Bring light all the way up

Insider is minimalistic, but surprisingly strong. Its indirect light effect makes your ceiling higher and gives a feeling of spaciousness and freedom. It is also practical when there is no possibility to mount a light on your ceiling.



**DPR**





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





Soft indirect  
light effect



Dual colour




# Edge

Light graphics

















# Push your ideas over the edge

Create graphics with light or soften your edges with a luminaire that offers a pure effect of light without really seeing the product. Edge can be discretely blended in your ceiling or wall, and at the same time provide uniform and controlled illumination. It comes in dimensions that fit your plaster ceiling like a glove and focuses attention just where it needs to be. It's a luminaire that brings you space to life.

Go straight to the Edge if you plan a hotel lobby, corridors or representative spaces to create an atmosphere, use it in pubs, bars and restaurants to elevate the mood or simply light up the signalization that cannot be ignored.

## DESIGN:

Mark Elliot





# Product range

---

## LUMINAIRE LUMINOUS FLUX:

356 lm - 568 lm

## LENGTHS:







38°, 60°

## LED COLOUR:


827, 830, 840, 930, 940

## DRIVER:

DALI, FO, No Driver








#### Standard module

$L_1$  (mm) = 500, 600, 1000, 1500, 2000




#### Corner module (external illumination)

$L_2$  (mm) = 540, 640, 1040, 1540, 2040 mm



#### Corner module (internal illumination)


$L_3$  (mm) = 530, 630, 1030, 1530, 2030 mm





# Be creative in compositions


Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up.





# Create the atmosphere



Edge makes the room look more relaxed and adds elegant details. You can use it to create an ambient illumination or as a light that helps navigation in the nighttime.





# Elevate the space

Edge brings calm to a room and adds elegant details. You can use it to create an ambient illumination or as a light that helps navigate you at night.







# A cascade effect without lowering ceilings

Create a decorative setting by following the architectural shapes with soft lighting.

Edge comes in dimensions that fit plaster ceiling and gives you all the freedom you need to create exactly what you wished for.







# Edge vs. Cove

Choose Edge when you want to create a lighting effect with having a minimum height available.

Use Cove for creating a diffused light effect with cove applications, with the effect that is decorative and functional at the same time.





# Simple instalation

## Step 1


Edge profile allows adjustable position of the screws.  
Recommended distance between screws is 150 mm.

## Step 2

Place the plaster board over profile. Standard  
12,5 mm thickness is supported.

## Step 3

Apply plaster over the luminaire to achieve the  
look of a pure ceiling.








# Linear or corner connection

Linear modules are fitted with quick connectors enabling to connect multiple products in line.

The invisible joints between Edge's corner modules give a continual light effect. Corner connection requires a line connector with 50 mm wire.





# Time passes, Edge remains



Technical benefits of PCB versus strip.

## PCB:

- Excelent colour consistancy (Macadam 3, +/- 80 K)
- The same LED colour as the rest of the Intra lighting luminaires
- 7 year warranty
- Evenly dispersed and consistent light

## LED STRIP:

- Low colour consistancy (Macadam 5 or more, +/- 150 - 500 K)
- Difficult to match LED colour with other LED luminaires
- Unreliable glue quality
- Uneven shades



**Edge with PCB**



**Led strip**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO


**Certified productions**

**\* intra lighting**





Draw  
the light



Enhance  
your space






# Cove

It's all light.





















# It's all right.

That all you can see is light. Give your space a feeling of light coming in or put it in under cascades and shelves to light up the things that need to be seen. Cove is a light that can be decorative, functional or both at the same time as it always creates an uniform lighting with an elegant touch.

Place it in a hotel lobby or a room and make your guests feel welcome, use it in a closet, under cascades and shelves or blend it with corridor interiors to give your visitors that extra feeling. Cove will make you only see the light and not the luminaire.

## **DESIGN:**

Mark Elliot



# Product range

---

**LUMINAIRE LUMINOUS FLUX:**

356 lm - 568 lm

**LENGHT:**

38°, 60°

**LED COLOUR:**

827, 830, 840, 930, 940

**DRIVER:**

DALI, FO, No Driver



**12 H**  
**Horizontal diffuser**



**12 V**  
**Vertical diffuser**



**25 V**  
**Vertical diffuser**




# Models


Select from a wide range of models

- Mounting points
- Diffusor
- Light distribution



**Cove 12 H**  
Horizontal diffuser



**Cove 12 V**  
Vertical diffuser



**Cove 25 V**  
Vertical diffuser




L = standard module length (inch/mm):  
15-3/4", 19-11/16", 23-5/8", 27-2/4", 39-3/8", 59-1/8", 78-13/16", 98-2/4"  
(400, 500, 600, 700, 1000, 1502, 2002, 2502mm)

Other lengths available on request.



# Be creative in compositions

Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up.







# Shelf application

Cove 12 V does not emit light backwards and is therefore suitable for more specific applications like shelves and countertops.



Mounting Cove into the furniture requires the recessed round end cap.





# Wall cascade


Cove 25 with vertical diffuser softly disperses the light to the wall or ceiling, making it suitable for all kinds of ambient applications especially cascades.





# Cascade on the ceiling

Use Cove 25 for creating a diffused light effect. With Cove applications, you can achieve both decorative and functional effects.





# Simple instalation

## STEP 1


Screw the mounting clamp into the desired ceiling position.

## STEP 2

Push Cove on the clamp until you hear the click.

## STEP 3

The luminaire is now ready to be connected to the power.







# Linear or corner connection

All modules are fitted with quick connectors enabling to connect multiple products in line easily.

For creative compositions with corner installations, line connector with wire is available. This allows for a continual light effect in other shapes as well.





# Time passes, Cove remains



Technical benefits of PCB versus strip.

## PCB:

- Excelent colour consistancy (Macadam 3, +/- 80 K)
- The same LED colour as the rest of the Intra lighting luminaires
- 7 year warranty
- Evenly dispersed and consistent light

## LED STRIP:

- Low colour consistancy (Macadam 5 or more, +/- 150 - 500 K)
- Difficult to match LED colour with other LED luminaires
- Unreliable glue quality
- Uneven shades





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





Time passes,  
Cove remains



All light





# Kalis

Absolutely universal


































# Like a little black dress, for any occasion

Its clean basic shape, the perfection of its details and the advanced technology make it universal. It fits anywhere. In all kinds of ambiences, from residential to office, retail, hospitality, public spaces, schools, hospitals and more. If you have Kalis, you have everything.

**DESIGN:**

Gigodesign





# Product range

---

## LUMINAIRE LUMINOUS FLUX:

1000 - 1450 lm/m

## MODULE LENGTH:





560 - 3100 mm

## MODULE TYPE:

Single, Linear, Corner

## DRIVER:

DALI, FO, No Driver





# Modularity rules


With maximum application flexibility,  
Wave gives you the possibility to adapt  
the luminaire to your needs. There is an endless  
modularity you're gonna love.





# Be creative in compositions






Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up.





# Module types

Create your perfect light selecting  
from a variety of light modules and  
construct them however you want!





# Intra Constructor

Save your time and work efficiently using Intra Constructor – you simply configure your line and choose all the accessories which are then automatically listed with codes. So, you avoid any possible mistakes. automatically listed with codes. So, you avoid any possible mistakes.



**1. PLACE  
DIGITAL TOOLS**







# Perfect joints, no light gaps

With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape.



And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps

End cap eliminates gaps which occur with the expansion of the material when its warmed, prevents light from leaking and insects entering the luminaire.





# Choose your colour

With Random, you add a statement to the design of your ambient. Choose from a range of colours to make your Random luminaire either blend in or stand out.



WH




BK



CB




DW






# Choose the right diffuser

Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic optics (DPR) for task illumination.



**Satin opal polycarbonate diffuser (SOP)**



**Soft-light prismatic optic (DPR)**



# Power-in position

By having standard type of modules, you are able to choose the power-in position that suits you best. If necessary, one big system can be reconfigured into more smaller ones with individual power-in points.







# Flexible suspension points

The suspension can be moved along the luminaire to ensure optimal mounting on your ceiling. Holder for S and SDI versions is made of transparent polycarbonate and results in no light shadows on the ceiling.

In case of indirect illumination, suspension points are predefined.



**Flexible suspension point position**




**Predefined suspension point for SDI**



# Kalis RI installation





For neutral and pure ceilings Kalis comes in recessed invisible version. The installation of the new trimless Kalis RI provides fast fixture mounting and clean looking illumination with no gap between the profile and ceiling. With the new RI profile the gap is completely filled with plaster.





# Kalis RV installation

The installation of Kalis RV is simple and fast. All lines modules are fitted with magnets for fast fixing of led modules and optics with a click. Adjustable mounting bracket guarantee optimum fixing to false ceilings ranging from 11 to 20 mm in thickness.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO



**Certified productions**

**\* intra lighting**





Basic  
shapes



Carefully  
designed





# Random

Not random at all




















# Create your second ceiling.

Random is created to enhance the look of modern open ceilings, turning them into something dynamic! And it all starts with using straight lines and bringing them together into a composition that works best for open spaces that need a secondary ceiling.

This luminaire is a perfect fit for retail, modern offices and even hospitality environments, not only because of its distinctive look, but also because of high-quality general illumination that's an absolute must for every highly efficient environment. And when you get to know it, you will definitely agree that creating a secondary ceiling has never been so elegant.





# Product range

---

## LUMINAIRE LUMINOUS FLUX

1000 - 1450 lm/m

## MODULE LENGTHS



844 - 2807 mm

## LED COLOUR

827, 830, 840, 930, 940, TW

## DRIVER


DALI, FO





# Be creative in compositions

A dynamic composition when you don't expect it. It comes with a range of modules and joint positions which bind together on either sides. Its geometry can furthermore be connected with other interior elements.







# Perfect joints, no light gaps

With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape.



And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps

End cap eliminates gaps which occur with the expansion of the material when its warmed, prevents light from leaking and insects entering the luminaire.





# Choose your colour

With Random, you add a statement to the design of your ambient. Choose from a range of colours to make your Random luminaire either blend in or stand out.



WH



BK




AT



CB







DW





# Module types

Create your perfect light selecting from a variety of light modules and construct them however you want!





# Predefined joint positions

Start the selection of joint positions based on assembly orientation. Select the joint positions in sequence, starting from the closest one.

- Available joint position
- L = Left side joint
- R = Right side joint
- Module orientation


\*Adding modules on left and right side on the same position, counts as one joint per module and it's marked with X+joint position (X4). See order example.

⚠ Start the selection of joint positions based on assembly orientation. Select the joint positions in sequence, starting from the closest one.

## Predefined joint positions and dimensions (mm)

## Max no. of joints / module \*


Module length (mm)





# Pre-defined compositions


In order to simplify and speed up your work we prepared some predefined templates that will help you compose your Random lighting system without errors. Download a package with predefined templates and CAD modules on our webpage.






# Pre-defined compositions


In order to simplify and speed up your work we prepared some predefined templates that will help you compose your Random lighting system without errors. Download a package with predefined templates and CAD modules on our webpage.




**Composition 1**



**Composition 2**



**Composition 3**




**Composition 4**




# Choose the right diffuser

Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic optics (DPR) for task illumination.



**Satin opal polycarbonate diffuser (SOP)**



**Soft-light prismatic optic (DPR)**



# Power-in position

By having standard type of modules, you are able to choose the power-in position that suits you best. If necessary, one big system can be reconfigured into more smaller ones with individual power-in points.







# Flexible suspension points

The suspension can be moved along the luminaire to ensure optimal mounting on your ceiling. Holder for S and SDI versions is made of transparent polycarbonate and results in no light shadows on the ceiling.

In case of indirect illumination, suspension points are predefined.



**Flexible suspension point position**




**Predefined suspension point for SDI**



# Random + Kalis = a perfect couple

Did you know that Random and Kalis can be easily joined together? You can combine Random modules and the modules of Kalis to create unique light lines.






# Order example

On the right there is an order example to illustrate the easiest way to compose the luminarie system.

## Order list

- ① Random S SJ SOP 1404mm
- ② Random S SE SOP R1/L5 2244mm
- ③ Random S JJ SOP 2244mm
- ④ Random S SE SOP R1/L4/X7 2244mm
- ⑤ Random S JE SOP 1404mm
- ⑥ Random S JE SOP 1404mm
- ⑦ Random S JE SOP 1404mm
- ⚡ 1x Ceiling cup with power outlet \*
- 7x Suspension mounting set \*\*



→ Module orientation

\* Each module is supplied with driver and max 24 drivers can be loaded on C10 circuit breaker. For larger systems additional power supply cable must be applied.

\*\* Each module comes with two suspension fixing points. Depending on the system shape, not all points require suspension.



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

94%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO


**Certified productions**

**\* intra lighting**





Creative  
compositions



No  
light gap





# Hexagon

Don't be a square





We  
create  
value

BIOSPHERE
















# It will make you look up

With Hexagon, the magic starts by using basic shapes and joining them together into a net-like composition that works best as a secondary ceiling. It's the perfect pick for all those projects that are more than functional and attract attention with its distinct look.

But not only that... Hexagon is a luminaire that offers far more! It does not only guarantee high-quality general illumination but also gives you creative space to make it as big and as bold as you want.





# Product Range

---

## LIGHT OUTPUT:


1000 lm - 1450lm/m

## LED COLOUR:


830, 840

## OPTICS:

SOP Diffuser



**Hexagon  
C / S**




**Hexagon Mesh**




# Modules

Select from a wide range of lengths


## Module dimensions (mm)



## Joint types



Joint MS 2  
2 modules / joint




Joint MS 3  
3 modules / joint



# Suspension points


Hexagon is suspended on it's joints, so the weight of the luminaire is evenly distributed





# Be creative in compositions

Hexagon offers maximum application possibilities.





# Match your style

Choose from a range of colours to make your Hexagon luminaire either blend in or stand out. With Random, you add a statement to the design of your ambient.



WH




BK



CB




DW





# Hexagon + Kalis = a perfect couple

Did you know that Hexagon and Kalis can be easily joined together? You can combine Hexagon Mesh modules and the modules of Kalis to create unique light lines.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO

**Certified productions**

**\* intra lighting**





Distinctive  
look

Be  
creative







**Gyon**

More is more









**FERRARI, ITALY**




















# Fully flexible, widely adaptable, all efficient.

The way you combine the light lines is up to you, as it should be. Outstanding performance plus bespoke lengths is the perfect recipe for your modular solution, to find the best possible fit and excellent end-result.

The possibility of endless lines allows you to go as far as you want and in different directions. And this is only the beginning of what you can create with Gyon.

## DESIGN:

Gigodesign





# Product range

---

## LUMINAIRE LUMINOUS FLUX

1850 - 5500 lm/m

## MODULE LENGTH



560 - 3120 mm

## MODULE TYPE

Single, Linear, Corner

## LED COLOUR


827, 830, 840, 930, 940, TW





# Be creative in compositions




Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up.





# Module types


Create your perfect light selecting  
from a variety of light modules and  
construct them however you want!





# Wave + Gyon = a perfect couple

Did you know that Gyon and Wave can be easily joined together? You can combine curved modules of Wave and the linear modules of Gyon to create unique flexible lines.





# Intra Constructor

Save your time and work efficiently using Intra Constructor – you simply configure your line and choose all the accessories which are then automatically listed with codes. So, you avoid any possible mistakes. automatically listed with codes. So, you avoid any possible mistakes.





**1. PLACE  
DIGITAL TOOLS**





# Perfect joints, no light gaps

With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Choose your colour

Choose from a range of colours to make your Gyon luminaire either blend in or stand out.



WH




BK



CB



DW





# Choose the right diffuser

SOP - for soft, homogenous light distribution

DPR - high visual comfort

HMP - for strong and controlled luminance



**Satin opal polycarbonate diffuser (SOP)**



**Micro-prismatic polycarbonate optic (MPR)**




**Silver coated aluminium louvre (HMP)**



# Diffuser in a roll


If you want to have a homogeneous light line without any gaps, just order additionally the diffuser in a single piece roll up to 25 m, which you can cut upon your needs depending on the length of the system.





# Flexible power-in position


By having standard type of modules, you are able to choose the power-in position that suits you best. If necessary, one big system can be reconfigured into more smaller ones with individual power-in points.





# Flexible suspension points

The suspension can be moved along the luminaire to ensure optimal mounting on your ceiling. Holder for S and SDI versions is made of transparent polycarbonate and results in no light shadows on the ceiling. In case of indirect illumination, suspension points are predefined.



**Flexible suspension point position**




**Flexible suspension point for SDI**



# Gyon RI

For neutral and pure ceilings Gyon comes in recessed invisible version. The installation of the new trimless Gyon RI provides fast fixture mounting and clean looking illumination with no gap between the profile and ceiling. With the new RI profile the gap is completely filled with plaster.

\* for ceilings with 12,5 and 16 mm thickness






# Gyon RV

The installation of Gyon RV is simple and fast.  
All lines modules are fitted with magnets for fast  
fixing of led modules and optics with a click.  
Adjustable mounting bracket guarantee optimum  
fixing to false ceilings.

\* for ceilings with 11 to 20 mm thickness





# Gyon S IP54

Constant performance for in extreme conditions.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**






Modular  
design



Outstanding  
performance







**BIGSEE**  
**PRODUCT DESIGN**  
**AWARD WINNER**

# Wave

Bored of being straight



















# No need to go straight

From classical form to an artistic drawing with irregular lines and round objects, Wave gives you the privilege of doing it as big and as bold as you want. Wave is a perfect pick for big fluid spaces as it can easily chase the architecture and gives your visitors a reason to look up. Use a quarter or an eighth of a circle and combine it with straight lines of Gyon, creating something that's completely unique and fits your needs.





# Product range

---

## LUMINAIRE LUMINOUS FLUX



1323 lm - 15445 lm

## RADIUS

760 mm - 4000 mm

## LED COLOUR

830, 840, TW





# Modularity rules


With maximum application flexibility, Wave gives you the possibility to adapt the luminaire to your needs. There is an endless modularity you're gonna love.





# Wave + Gyon = a perfect couple

Did you know that Gyon and Wave can be easily joined together? You can combine curved modules of Wave and the linear modules of Gyon to create unique flexible lines.





# Wave Round

Round will never go out of style. Challenge your creativity by designing figures of repetition or an original combination of different shapes and sizes. It's an object that seeks attention without taking control over your space.




'Wave Round' may look all glitz and glam, but it also boasts with increased efficiency and reduced glare and is as such appropriate for your reception, building entrance or a shopping centre.





# Be creative in compositions


Get inspired and draw your light as big and as bold as you want. Integrate it in the space and give your visitors a reason to look up.





# Module types

Connect straight pieces in various lengths with a range of curves in different diameters and angles.



**Curved 90° modules**  
1/4 of a circle

R4000

R3000

R2450

R1975

R1750


R1500

R1250

R1125

R760

Radius (mm)



**Curved 45° modules**  
1/8 of a circle

**Linear modules**  
from 842 up to 3082 mm



# Intra Constructor

Save your time and work efficiently using Intra Constructor – you simply configure your line and choose all the accessories which are then automatically listed with codes. So, you avoid any possible mistakes. automatically listed with codes. So, you avoid any possible mistakes.




**1. PLACE  
DIGITAL TOOLS**





# Perfect joints, no light gaps



With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps



With an innovative twist and lock joint element the assembly between two modules is now quick and easy and the profiles are strongly connected with no risk of bending. The light has absolutely no possibilities to escape. And that's why we call it NLG - No Light Gap.





# Perfect joints, no light gaps

End cap eliminates gaps which occur with the expansion of the material when its warmed, prevents light from leaking and insects entering the luminaire.





# Choose the right diffuser


Use satin opal polycarbonate diffuser (SOP) for general illumination or soft-light prismatic diffuser (DPR) for task illumination.





# Personalize your experience

Direct and indirect illumination for various lighting scenarios. Separate switching enables flexible illumination, as a direct and indirect component can be switched (FO-DS) or dimmed separately (DALI-DS/TD).





# Flexible suspension points


The suspension holder for S and SDI versions  
in transparent polycarbonate - no light shadows  
on the ceiling.





# Flexible power-in position

By having standard type of modules, you are able to choose the power-in position that suits you best. If necessary, one big system can be reconfigured into more smaller ones with individual power-in points.






# Order example

On the right there is an order example to illustrate the easiest way to compose the luminarie system.

## Order list

- ① Wave line C/S linear SOP 2253mm
- ② Wave line C/S curved SOP R2000mm 90°
- ③ Wave line C/S curved SOP R1500mm 90°
- ④ Wave line C/S linear SOP 1122mm
- ⑤ Wave line C/S curved SOP R3050mm 45°
- ▮ 1x End cup set (2 pcs)
- 9x Suspension mounting set (1 pcs)
- ⚡ 1x Ceiling cup with power outlet (1 pcs)



\*In case of a system installation, first module requires all fixing points, while all next modules need one fixing point less.



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**


---

ISO



**Certified productions**

**\* intra lighting**





Ageless  
shapes



Carefully  
designed



**DESIGN PLUS**  
powered by **light+**building



# Tracker

Goes with the flow












# Created to create.

Tracker is made to track the fluid architecture. It is the first luminaire to go beyond horizontal movement and by far our most adjustable trimless luminaire when it comes to shapes.

Inspired by soft and fluid forms from nature and architecture Tracker can create limitless forms and shapes that, like in nature, are never linear. With it it is like drawing light in space.

## **DESIGN:**

Intra lighting





# Family range

---

## LUMINAIRE LUMINOUS FLUX


1950 and 2800 lm/m

## SIZE (HxW)

27 x 56 mm

## MODULE LENGTH


950 - 4750 mm





# Overcoming orthogonal shapes

In nature the forms are soft and fluid, never orthogonal. Therefore, in architecture fluid forms feel more natural and are pleasing to the eye. Tracker was made to track them with no compromise.






# Every luminaire can go left and right. But can they do this?

Tracker can go up and down. With its ability to adapt to wall or ceiling ratios (+/-500 mm), it can vary from bold and artistic to a luminaire that discreetly blends in and supports the creativity of the architect or lighting designer.

And it's not only about its clean looks; it's also about the hidden logic of this luminaire, as it fits perfectly with standard construction elements.





# A luminaire with a spine of its own

When developing the supporting structure of Tracker, the idea was to imitate the flexible spine of the reptiles. In fact, it can endlessly move through space with uncompromising agility.






# Strong and reliable

It's made to last. Intra lighting stands behind with a 7-Year Warranty.

Technically Tracker gives:

- Trimless installation
- High light output
- Seamless light curve
- Homogeneous light
- Superb light quality
- Durability





# High light output: great visual impact by night

Its light output is so high that Tracker can be part of night impressions of your building or take over after the sun goes down.






# Goes under the primary ceiling construction

Tracker doesn't weaken the ceiling load capacity.

In order to maintain the strenght of the ceiling structure the low luminaire height corresponds to recessed depth of the secondary ceiling profile construction. Cutting the primary ceiling profiles is not required. In order to cover all kinds of plaster thicknesses we designed 2 profile types.





# Illuminate your space in new ways


From classic horizontal to vertical curves, Tracker can follow your space in many different ways. It can go straight or as a wave, and most important - all its modules can connect together into an endless fluid light line.





# Tracker UD: Bends with the ceiling

The inspiration to design Tracker was the spine and its flexibility. It was made to become part of the standard ceiling construction where many details were taken in consideration: simple installation, maintaining the ceiling load capacity and no need to cut the primary ceiling construction. Tracker UD literally bends with the ceiling to track different ceiling radii and adapts to both, concave and convex surfaces.






# Tracker UD modules


Select from two standard lenghts. Each module can be esily replaced, connected together or removed in case you need a shorter lenght.

Every package includes additional modules, for example the power-in module, that allows you to choose the power-in position anywhere just replacing one of the central modules.

950 cm (374") length includes:



4750 cm (1870-1/16") length includes:






# Concave and convex shapes


Curves are ranging from minimum to maximum radius 500 mm. Please note that convex arch length is shorter than concave, therefore, central modules can be removed.

Start- and end- modules are used when you want your light line to end. If you'd like your line to continue, the last module must end on a straight ceiling.



UD Convex

● Start module ● Central module ● End module



UD Concave



# Bold or artistic


Let the Tracker guide you through the space and make your open spaces attractive and unique. It was made to support the creativity of architects and lighting designers in organized or creative compositions.





# Tracker LR & LN: No burden for the ceiling at all

We solved many real life challenges in advance. Not many people will see the product from the other side. Those who will, will realize there are some key details that make a difference. The installation of linear and curved modules is really simple. Cutting primary ceiling profiles is not necessary due to the product height, therefore Tracker doesn't weaken ceiling load capacity. And the suspender sets are easy adjustable to different heights or rotation.






# Wide choice of standard modules

Create your perfect light composition with a variety of standard light modules that give you freedom to combine them together in a different way.

Note that the linear module can be shortened on the spot to reach the desired dimension of your luminaire.



**Tracker RI - LR 90° modules**  
1/4 of a circle

R3871  
R152-3/8"

R2904  
R114-5/16"

R2420  
R95-1/4"

R1936  
R76-1/4"

R1694  
R66-3/4"


R1425  
R56-1/8"

R1210  
R47-5/8"

R1089  
R42-7/8"

R726  
R28-9/16"

Radius  
(mm/inch)



**Tracker RI - LR 45° modules**  
1/8 of a circle

**Linear modules**  
from 950 up to 3040 mm  
from 37-3/8" up to 119-11/16"



# How to order

These parts are required for the luminaire to work properly and must be ordered separately.

● Required part which must be order separately


N/A Not applicable



**Diffuser in a roll**  
12,5 or 25m (492-1/8" or 984-1/4"),  
SOP or DPR



**PCB chain**  
1x, 10x or 50x modules








**Tracker RI-LN**  
Linear



**Tracker RI-LR**  
Curved left or right 90° / 45°



**Tracker RI-UD**  
Curved up or down





## Order list example

### Modules:

**1pc** Tracker RI LR SOP R1089 mm

**1pc** Tracker RI UD 4750 mm

**1pc** Tracker RI LN 1235 mm

### LED modules and drivers:

**1pc** Led module chain 50x LED 830M L4750mm

**1pc** Driver LC 100W 24V FO

### Obligatory accessories:

**1pc** Diffuser W60 SOP 12,5m

**1pc** Tracker end cap set


**1pc** Tracker mounting/cleaning set

**1pc** Tracker power inlet set


**3 pcs** Tracker suspender set

**Please note:** Drywall radius can not be 100% accurate, therefore you need to order longer Tracker UD module than needed. This way, you make sure UD module will end on straight ceiling. You can then cut Tracker LN module to the required dimension.

Side view



Top view





# Simple installation

We have taken special care for the needs of professionals involved in the installation process. Tools, designed specifically for Tracker allowed us to simplify the installation work.

- 1 Prepare primary ceiling construction
- 2 Hang LN, LR and UD luminarie housing
- 3 Bend UD side profile and click it onto housing
- 4 Line up electrical cables
- 5 Mount secondary profiles and gypsum board
- 6 Insert multiple mounting tools
- 7 Fix the luminarie on plaster board
- 8 Apply plaster and clean the profile interior
- 9 Connect the power
- 10 Insert PCB chain
- 11 Cut the diffuser
- 12 Close the luminaire




Drvwall builder



Electrical installer


✓	
✓	
✓	
	✓
✓	
✓	
✓	
	✓
	✓
	✓
	✓






**Prepare the primary ceiling construction**

Mount the primary profiles for false ceiling.




**Hang the LR / LN luminaire housing**

Hang the luminaire housing on primary ceiling profiles.




**Bend and hang the UD luminaire housing**

Hang the luminaire housing on primary ceiling profiles.




**Bend the UD side profile and mount it**

Bend the UD profile on the work surface and mount it to the UD luminaire housing to strengthen the form.




**Line up electrical cables**

Line up electrical cables through the power-in module.




**Mount the secondary profiles and gypsum board**

Finish the ceiling construction.



**Mounting tool set (applies to Tracker RI-LR)**






Stencil tool helps you draw a cut-out hole on the plaster board while it is on the floor.



**Insert multiple mounting tools**

Clicking multiple mounting tools onto the profile helps you hold the width distance while screwing to the plaster board.








# Accessories


These parts are required for the luminaire to work properly and must be ordered separately




**PCB chain**




**Multifunctional suspender set**




**End-cap set**



**Power inlet set**



**Diffuser in a reel**



**Mounting tool set**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

93%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**






# Pipes R

Totally responsive



























# Focus as a matter of choice.

A range of recessed LED spots brings together efficiency and customization. With a wide range of colour combinations, power options, and sizes, Pipes R is a spot that can either blend in discretely or becomes an eye-catching element in the space.

The concept of »Less is more« goes beyond the design itself or the way space is used. Each and every product component is optimized to make the Pipes R highly efficient and affordable.

## DESIGN:

Serge & Robert Cornelissen





# Product range

---

## DIAMETER:

60 - 140 mm

## BEAM ANGLE:

15° - 62°

## LUMINAIRE LUMINOUS FLUX:

262 - 6241 lm

## LED COLOUR:

827, 830, 840, 930, 940, Vivid COB





# A matter of taste

It's not a matter of performance, they all perform well. It's a matter of taste. If you prefer your ceiling to be completely clean, then trimless version is the right choice. On the other hand, if you feel that the trim gives character to your ceiling, then choose the two with the visible trim. Now decide what colour will be the trim.



**RI**  
**Ø 60, 100, 133 mm**



**RV**  
**Ø 60, 80, 105, 140 mm**



**RVS**  
**Ø 65, 89, 115 mm**



# Neutral and pure ceilings

Pipes RI is a perfect choice when you are looking for a trim-less solution that keeps your ceilings neutral and pure.

The installation is fast, clean and easy. With pre-installation of mounting kit, you can complete ceiling work before installing the luminaire. The product can be inserted in the ceiling with a simple twist.



**RI**  
**Recessed trim-less**






# Dual colour with decorative ring

The spot stands out from the ceiling, with an elegant edge that makes it an indispensable addition to classic open spaces.

Take advantage of its specific feature and play with the second colour to create a different look in your space. Decorative ring needs to be ordered separately and is available only for dimensions 60 and 105 mm.



**RV**  
**Recessed visible trim**




**Decorative ring**



# Less is more


Pipes RVS main benefit is a slim trim, that is big enough to cover all the installation imperfections. You can choose among different colours to make the spot stand out or stay neutral and blend it in the space.





# No glare or reflections

Choose Pipes RVS Spot or Slot when glare is an issue. Within the 70° angle, luminaire does not produce any glare reflections.



**RVS Spot**



**RVS Slot**



# Square shape

Deeply integrated light source guarantees glare control, making it efficient at any height, offering you a possibility to chose different lumen packages and beam angles.





# IP44

It's the perfect solution for high moisture environments like bathrooms. It offers pleasant and functional light as well as IP44 protection. While its design is minimalistic, and can, therefore, accentuate any interior.

Only available with models RV and RVS.





# High visual comfort

Designed for general applications, where high visual comfort and pleasant uniform illumination is needed.





60 F


60 A

80 F

80 A

105 A

140 A



±25°



±25°



±25°




±25°



# Vivid COB

High chromatic LEDs targeted for making objects more vivid and tuning the light emitting spectrum.





# Vivid COB

The right decision of a colour temperature leads to a natural and fresh appearance, that brings out colours, textures, and shape. Thanks to a variety of applications, an uncompromising performance and high efficiency, Pipes has the power to point the attention and to create a special atmosphere.





# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**





Uncompromising  
performance



Wide  
range





reddot design award  
winner



# Pipes

Simple outside, clever inside








Vučedolac

Grobovi

Grobovi





CRAFT, NORWAY










**MICROSOFT ONE, IRELAND**



























# Its innovative design makes it irresistible.

The simple shape is neutral and widely generic to fit easily anywhere. Thanks to a variety of applications, an uncompromising performance and high efficiency, it has the power to point the attention and to create a special atmosphere in a space.

The front of the fixture is what makes it unique and different. To achieve high visual comfort the reflector is inwardly recessed, while the funnel acts as a transition zone to minimize the contrast.

## DESIGN:

Serge & Robert Cornelissen





# Product range

---

## DIAMETER:

Ø 45, 100, 133 mm

## LUMINAIRE LUMINOUS FLUX:

459 lm - 5995 lm

## OPTICS:

10°, 15°, 21°, 24°, 28°, 30°, 36°  
38°, 40°, 46°, 56°, 60°, 62°

## LED COLOUR:

827, 830, 840, 930, 940  
Vivid COB





# A size for every need

From creating an atmosphere with low lighting scenario to a strong illumination we've got you covered.



Ø 45 mm  
up to 750 lm



Ø 100 mm  
up to 3300 lm




Ø 133 mm  
up to 5400 lm



# Clean from every angle

You will rarely see only one Pipes as they make a great team together, illuminating the space from every angle and every direction. No worry, Pipes has everything covered.





# Maximum adjustability

There is always a need to change the focus, but you shouldn't worry about that with Pipes, as it offers maximum adjustability and extra flexibility.





# Choose the right beam angle

Choose wider optics for more uniform illumination, or narrow optics for focus and contrasts.



**PRO Optics**  
**10°, 15°, 21°, 30°, 36°, 46°, 56°**




**DECO Optics**  
**24°, 28°, 36°, 38°, 40°, 60°, 62°**



# Vivid COB

High chromatic LEDs targeted for making objects more vivid and tuning the light emitting spectrum.





# Vivid COB

The right decision of a color temperature leads to a natural and fresh appearance, that bring out colors, textures, and shape. Thanks to a variety of applications, an uncompromising performance and high efficiency, Pipes has the power to point the attention and to create a special atmosphere.



**WARM CRISPY**



**WARM VIVID**



**PLANT WHITE**



**FRESH ROSE**



**ALASKA**



**CLEAR WHITE**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Finest materials and timeless design

Pipes is constructed from the finest, recyclable materials. Its simple shape is neutral and widely generic to easily fit in different spaces.





# For ceiling and concrete

A concrete ceiling is not an obstacle if you want to have Pipes. The driver is integrated in the spot and the installation is simple.




**Pipes C**  
**Ø 45 mm**



# Maximum adjustability

A discrete luminaire for general applications, where high visual comfort and pleasant spot illumination is needed. Its simple shape is neutral and widely generic to easily fit in different spaces.



**RIO**  
**Semi recessed trim-less**





**RVO**  
**Semi recessed visible trim**



# Moves up and down

Play with the heights and adjust the luminaire height to your needs and taste. And when you choose it, just lock it with a single twist.



\* intra lighting



# Pipes tube

Pipes Tube is meant to enhance the space. As a strong decorative element, it draws attention. Still, its form is simple enough to blend in with the surroundings.

A variety of sizes and colours allow you to be creative in compositions and to add a personal touch to every space.






# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO


**Certified productions**

**\* intra lighting**





Uncompromising  
performance




High visual  
comfort




# Skyler

The sky is the limit












# Great design is transparent.

Forget about boring office lights that reveal everything within one look. Skyler is here to surprise! The first thing to wow is its see-through plate. With it's black and white colour combination and thinness it's a true designer's piece, ages away from common office lighting solutions.

**DESIGN:**

Janez Mesarič - Mashoni





# Product range

---

## LUMINAIRE LUMINOUS FLUX

5769 - 6604 lm

## UGR

UGR<19

## LED COLOUR


827, 830, 840 + TW, RGB

## LIGHT DISTRIBUTION

Direct / Indirect



**Skyler SDI**



**Skyler SDI with extra indirect**



# Slim and minimal, but powerful


Experience light in its thinnest pure form.  
Still, it's powerful and highly efficient.





# Dual colour frame

Of course you can have it in one colour. But is the possibility to have a two-colour frame that makes the difference. It's far more sophisticated and aesthetic. Choose the combination of two that you prefer or of the two that simply fit best your interior.










# Light guide panel

Light guide panel provides uniform and homogenous light output; Indirectly in a batwing and de-glared downlight.

**UGR<19**










# Create scenes with indirect light

Get all you need in one luminaire; light guide panel for detailed tasks and meetings, indirect RGB or tunable white for special occasions or to light up the creativity.










# Suspension and ceiling cup

Y or straight suspension are available for Skyler.  
The driver can be positioned in the ceiling cup or remotely.



**Integrated driver**



**Remote driver**



# Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.





# Focusing green

The best path to the future is through sustainability. We design environmentally friendly products while giving special attention to human aspects. We use both natural and human resources responsibly to allow long-term abundance.

---

86%

**Recycling rate**

---

60


**Renewable energy**



# Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



---

7

**Year warranty**

---

100%

**Tested products**

---

ISO

**Certified productions**

**\* intra lighting**






Dual  
colour  
frame



20 mm |



Lighting  
scenes